

# ZYXEL

## **Software Release Note** **NebulaFlex Switch GS1915 Series**

Date: APR 14, 2022

## Zyxel NebulaFlex Switch GS1915 Series

### V4.70(ACD\_.1)C0 Release Note

**Date: APR 14, 2022**

This document describes the features in the GS1915 series for its 4.70(ACD\_.1)C0 release.

GS1915 series is a hybrid switch with NebulaFlex technology to support operation in either Standalone mode or Nebula cloud management mode.

### Supported Platforms

Support Platform	Firmware version	Boot Version
Zyxel GS1915-24E	V4.70(ACDR.1)	V1.00   01/11/2022
Zyxel GS1915-24EP	V4.70(ACDS.1)	V1.00   01/11/2022

### New Feature and Enhancements

First Release

### Bug fix

First Release

### Known Issue

Known Issue	Cloud	Standalone
1. [Port Setup] Port 1-8 and Port 17-24 may fail to link up at fixed speed at 100Mbps when using cable less than 3 meters across two GS1915-24 or GS1915-24EP Switches.	V	V

## Limitation of Settings:

Limitation of Setting	Cloud	Standalone
1. 802.1Q Static VLANs	256	256
2. Static MAC forwarding entry	-	256
3. MAC filtering entry	256	256
4. Cluster member	-	24
5. Syslog server entry	2	4
6. DHCP snooping binding table	-	8K
7. Multicast group	1024	1024
8. DHCP relay entry	-	16
9. Trunk groups	8	8
10. Per trunk group port number	8	8
11. MAC-based VLAN	-	50
12. Voice VLAN OUI entry	10	10
13. ZON neighbor per-port maximum clients	-	10

## Change History

- V4.70(ACA\_.0) | 11/18/2021 for GS1915-8/8EP only
- V4.70(ACD\_.1) | 03/24/2022 for GS1915-24E/24EP only